

Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21102005	PA 6 XT NATUR	5	0,1/0,4	0,03
21102006	PA 6 XT NATUR	6	0,1/0,4	0,04
21102008	PA 6 XT NATUR	8	0,1/0,5	0,06
21102010	PA 6 XT NATUR	10	0,1/0,5	0,10
21102012	PA 6 XT NATUR	12	0,2/0,7	0,14
21102013	PA 6 XT NATUR	13	0,2/0,7	0,15
21102014	PA 6 XT NATUR	14	0,2/0,7	0,18
21102015	PA 6 XT NATUR	15	0,2/0,7	0,22
21102016	PA 6 XT NATUR	16	0,2/0,7	0,24
21102018	PA 6 XT NATUR	18	0,2/0,7	0,30
21102020	PA 6 XT NATUR	20	0,2/0,7	0,37
21102022	PA 6 XT NATUR	22	0,2/0,9	0,46
21102025	PA 6 XT NATUR	25	0,2/0,9	0,58
21102030	PA 6 XT NATUR	30	0,2/0,9	0,84
21102032	PA 6 XT NATUR	32	0,2/1,1	1,00
21102036	PA 6 XT NATUR	36	0,2/1,1	1,20
21102040	PA 6 XT NATUR	40	0,2/1,1	1,50
21102045	PA 6 XT NATUR	45	0,3/1,3	1,90
21102050	PA 6 XT NATUR	50	0,3/1,3	2,30
21102056	PA 6 XT NATUR	56	0,3/1,3	2,90
21102060	PA 6 XT NATUR	60	0,3/1,6	3,40
21102065	PA 6 XT NATUR	65	0,3/1,6	4,00
21102070	PA 6 XT NATUR	70	0,3/1,6	4,50
21102075	PA 6 XT NATUR	75	0,4/2,0	5,20
21102080	PA 6 XT NATUR	80	0,4/2,0	5,90
21102085	PA 6 XT NATUR	85	0,5/2,2	6,80
21102090	PA 6 XT NATUR	90	0,5/2,2	7,50
21102095	PA 6 XT NATUR	95	0,6/2,5	8,50
21102100	PA 6 XT NATUR	100	0,6/2,5	9,30
21102110	PA 6 XT NATUR	110	0,7/3,0	11,20
21102115	PA 6 XT NATUR	115	0,8/3,5	12,30
21102120	PA 6 XT NATUR	120	0,8/3,5	13,50
21102125	PA 6 XT NATUR	125	0,8/3,5	14,50
21102130	PA 6 XT NATUR	130	0,9/3,8	15,70
21102140	PA 6 XT NATUR	140	0,9/3,8	18,20
21102150	PA 6 XT NATUR	150	1,0/4,2	20,90
21102160	PA 6 XT NATUR	160	1,1/4,5	23,80
21102170	PA 6 XT NATUR	170	1,2/5,0	26,80
21102180	PA 6 XT NATUR	180	1,2/5,0	30,10
21102200	PA 6 XT NATUR	200	1,3/5,5	37,10
21102220	PA 6 XT NATUR	220	1,3/5,8	45,00
21102250	PA 6 XT NATUR	250	1,5/6,2	58,00
21111008	PA 6 XT SORT	8	0,1/0,5	0,06
21111010	PA 6 XT SORT	10	0,1/0,5	0,10
21111012	PA 6 XT SORT	12	0,2/0,7	0,14
21111015	PA 6 XT SORT	15	0,2/0,7	0,22
21111016	PA 6 XT SORT	16	0,2/0,7	0,24
21111020	PA 6 XT SORT	20	0,2/0,7	0,37
21111025	PA 6 XT SORT	25	0,2/0,9	0,58
21111030	PA 6 XT SORT	30	0,2/0,9	0,84
21111032	PA 6 XT SORT	32	0,2/1,1	1,00
21111036	PA 6 XT SORT	36	0,2/1,1	1,20
21111040	PA 6 XT SORT	40	0,2/1,1	1,50
21111045	PA 6 XT SORT	45	0,3/1,3	1,90
21111050	PA 6 XT SORT	50	0,3/1,3	2,30
21111056	PA 6 XT SORT	56	0,3/1,3	2,90
21111060	PA 6 XT SORT	60	0,3/1,6	3,40
21111065	PA 6 XT SORT	65	0,3/1,6	4,40

PA6 XT – polyamid (Nylon)

Rundstænger

Fortsat

Varenummer	Materiale	Dimension (mm) Ø	Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
21111070	PA 6 XT SORT	70	0,3/1,6	4,50
21111075	PA 6 XT SORT	75	0,4/2,0	5,20
21111080	PA 6 XT SORT	80	0,4/2,0	5,90
21111090	PA 6 XT SORT	90	0,5/2,2	7,50
21111100	PA 6 XT SORT	100	0,6/2,5	9,30
21111110	PA 6 XT SORT	110	0,7/3,0	11,20
21111120	PA 6 XT SORT	120	0,8/3,5	13,50
21111130	PA 6 XT SORT	130	0,9/3,8	14,63

Indtil Ø120 mm leveres som standard i længder á 3000 mm

Leveres også i længder á 1000 mm

PA6 XT – polyamid (Nylon)

Emnerør

Varenummer	Materiale	Diameter (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
212020210	PA 6 XT NATUR	20	10	0,4/1,1	-0,4/-1,1	0,31
212020215	PA 6 XT NATUR	20	15	0,4/1,1	-0,4/-1,1	0,21
2120202512	PA 6 XT NATUR	25	12	0,4/1,1	-0,4/-1,1	0,50
2120202515	PA 6 XT NATUR	25	15	0,4/1,1	-0,4/-1,1	0,40
2120203015	PA 6 XT NATUR	30	15	0,4/1,1	-0,4/-1,1	0,70
2120203020	PA 6 XT NATUR	30	20	0,4/1,1	-0,4/-1,1	0,50
2120203615	PA 6 XT NATUR	36	15	0,6/2,0	-0,6/-2,0	1,10
2120203620	PA 6 XT NATUR	36	20	0,6/2,0	-0,6/-2,0	1,00
2120203625	PA 6 XT NATUR	36	25	0,6/2,0	-0,6/-2,0	0,80
2120204020	PA 6 XT NATUR	40	20	0,6/2,0	-0,6/-2,0	1,20
2120204025	PA 6 XT NATUR	40	25	0,6/2,0	-0,6/-2,0	1,00
2120204030	PA 6 XT NATUR	40	30	0,6/2,0	-0,6/-2,0	0,80
2120204520	PA 6 XT NATUR	45	20	0,6/2,0	-0,6/-2,0	1,60
2120204525	PA 6 XT NATUR	45	25	0,6/2,0	-0,6/-2,0	1,40
2120204530	PA 6 XT NATUR	45	30	0,6/2,0	-0,6/-2,0	1,20
2120205020	PA 6 XT NATUR	50	20	0,6/2,0	-0,6/-2,0	2,10
2120205025	PA 6 XT NATUR	50	25	0,6/2,0	-0,6/-2,0	1,90
2120205030	PA 6 XT NATUR	50	30	0,6/2,0	-0,6/-2,0	1,60
2120205040	PA 6 XT NATUR	50	40	0,6/2,0	-0,6/-2,0	1,00
2120205625	PA 6 XT NATUR	56	25	0,8/2,5	-0,8/-2,5	2,50
2120205630	PA 6 XT NATUR	56	30	0,8/2,5	-0,8/-2,5	2,30
2120205640	PA 6 XT NATUR	56	40	0,8/2,5	-0,8/-2,5	1,70
2120206020	PA 6 XT NATUR	60	20	0,8/2,5	-0,8/-2,5	3,10
2120206030	PA 6 XT NATUR	60	30	0,8/2,5	-0,8/-2,5	2,70
2120206040	PA 6 XT NATUR	60	40	0,8/2,5	-0,8/-2,5	2,10
2120206050	PA 6 XT NATUR	60	50	0,8/2,5	-0,8/-2,5	1,30
2120206530	PA 6 XT NATUR	65	30	0,8/3,0	-0,8/-3,0	3,30
2120206540	PA 6 XT NATUR	65	40	0,8/3,0	-0,8/-3,0	2,70
2120206550	PA 6 XT NATUR	65	50	0,8/3,0	-0,8/-3,0	1,90
2120207030	PA 6 XT NATUR	70	30	0,8/3,0	-0,8/-3,0	4,00
2120207040	PA 6 XT NATUR	70	40	0,8/3,0	-0,8/-3,0	3,40
2120207050	PA 6 XT NATUR	70	50	0,8/3,0	-0,8/-3,0	2,60
2120207540	PA 6 XT NATUR	75	40	0,8/3,0	-0,8/-3,0	4,10
2120207550	PA 6 XT NATUR	75	50	0,8/3,0	-0,8/-3,0	3,30
2120208030	PA 6 XT NATUR	80	30	0,8/3,0	-0,8/-3,0	5,40
2120208040	PA 6 XT NATUR	80	40	0,8/3,0	-0,8/-3,0	4,80
2120208050	PA 6 XT NATUR	80	50	0,8/3,0	-0,8/-3,0	4,00
2120208060	PA 6 XT NATUR	80	60	0,8/3,0	-0,8/-3,0	3,00
2120208530	PA 6 XT NATUR	85	30	1,2/3,6	-1,6/-5,0	6,30
2120209040	PA 6 XT NATUR	90	40	1,2/3,6	-1,6/-5,0	6,50
2120209050	PA 6 XT NATUR	90	50	1,2/3,6	-1,6/-5,0	5,80
2120209060	PA 6 XT NATUR	90	60	1,2/3,6	-1,6/-5,0	4,80

Fortsættes næste side

PA6 XT – polyamid (Nylon)

Emnerør

Fortsat

Varenummer	Materiale	Dimension (mm)		Tolerance (mm)		Nettovægt (kg/1000 mm)
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
2120209070	PA 6 XT NATUR	90	70	1,2/3,6	-1,6/-5,0	3,70
2120210040	PA 6 XT NATUR	100	40	1,2/3,6	-1,6/-5,0	8,30
2120210050	PA 6 XT NATUR	100	50	1,2/3,6	-1,6/-5,0	7,50
2120210060	PA 6 XT NATUR	100	60	1,2/3,6	-1,6/-5,0	6,60
2120210070	PA 6 XT NATUR	100	70	1,2/3,6	-1,6/-5,0	5,50
2120210080	PA 6 XT NATUR	100	80	1,2/3,6	-1,6/-5,0	4,20
2120211050	PA 6 XT NATUR	110	50	1,2/3,6	-1,6/-5,0	9,50
2120211060	PA 6 XT NATUR	110	60	1,2/3,6	-1,6/-5,0	8,60
2120211090	PA 6 XT NATUR	110	90	1,2/3,6	-1,6/-5,0	4,70
2120211580	PA 6 XT NATUR	115	80	1,5/4,5	-2,0/-6,5	7,10
2120211060	PA 6 XT NATUR	120	60	1,5/4,5	-2,0/-6,5	10,90
2120212070	PA 6 XT NATUR	120	70	1,5/4,5	-2,0/-6,5	9,80
2120212080	PA 6 XT NATUR	120	80	1,5/4,5	-2,0/-6,5	8,50
2120212560	PA 6 XT NATUR	125	60	1,5/4,5	-2,0/-6,5	12,10
2120212590	PA 6 XT NATUR	125	90	1,5/4,5	-2,0/-6,5	8,20
2120213080	PA 6 XT NATUR	130	80	1,5/4,5	-2,0/-6,5	10,90
2120214000	PA 6 XT NATUR	140	100	1,5/4,5	-2,0/-6,5	10,30
2120214080	PA 6 XT NATUR	140	80	1,5/4,5	-2,0/-6,5	13,40
2120215000	PA 6 XT NATUR	150	100	1,5/4,5	-2,0/-6,5	12,90
2120215080	PA 6 XT NATUR	150	80	1,5/4,5	-2,0/-6,5	16,10
2120216020	PA 6 XT NATUR	160	120	1,8/5,4	-2,2/-7,5	12,30
2120218040	PA 6 XT NATUR	180	140	1,8/5,4	-2,2/-7,5	14,00
2120220000	PA 6 XT NATUR	200	100	1,8/5,4	-2,2/-7,5	29,70
2120228010	PA 6 XT NATUR	280	210	1,8/5,4	-2,2/-7,5	37,20
2121103020	PA 6 XT SORT	30	20	0,4/1,1	-0,4/-1,1	0,50
2121105030	PA 6 XT SORT	50	30	0,6/2,0	-0,6/-2,0	1,60
2121106030	PA 6 XT SORT	60	30	0,8/2,5	-0,8/-2,5	2,70
2121106040	PA 6 XT SORT	60	40	0,8/2,5	-0,8/-2,5	2,10
2121106530	PA 6 XT SORT	65	30	0,8/3,0	-0,8/-3,0	3,30
2121106540	PA 6 XT SORT	65	40	0,8/3,0	-0,8/-3,0	2,70
2121107540	PA 6 XT SORT	75	40	0,8/3,0	-0,8/-3,0	4,10
2121108040	PA 6 XT SORT	80	40	0,8/3,0	-0,8/-3,0	4,80

Indtil Ø120 mm leveres som standard i længder á 3000 mm

Leveres også i længder á 1000 mm

PA6 XT – polyamid (Nylon)

Plader

Varenummer	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt (kg/plade)
		tykkelse	bredde	længde		
2140200120	PA6 XT PLADE NATUR	1	1000	2000	-0,1/0,1	2,40
21402001520	PA6 XT PLADE NATUR	1,5	1000	2000	-0,2/0,2	3,60
2140200220	PA6 XT PLADE NATUR	2	1000	2000	-0,2/0,2	4,60
2140200320	PA6 XT PLADE NATUR	3	1000	2000	-0,2/0,2	7,00
2140200420	PA6 XT PLADE NATUR	4	1000	2000	-0,2/0,2	9,40
2140200520	PA6 XT PLADE NATUR	5	1000	2000	-0,3/0,3	11,80
2140200620	PA6 XT PLADE NATUR	6	1000	2000	-0,3/0,3	14,00
2140200820	PA6 XT PLADE NATUR	8	600	2000	0,2/0,9	12,20
2140201020	PA6 XT PLADE NATUR	10	600	2000	0,2/0,9	15,00
2140201030	PA6 XT PLADE NATUR	10	600	3000	0,2/0,9	22,50
2140201220	PA6 XT PLADE NATUR	12	600	2000	0,3/1,5	18,40
2140201620	PA6 XT PLADE NATUR	16	600	2000	0,3/1,5	24,00
2140201630	PA6 XT PLADE NATUR	16	600	3000	0,3/1,5	36,00
2140202020	PA6 XT PLADE NATUR	20	600	2000	0,3/1,5	29,80
2140202030	PA6 XT PLADE NATUR	20	600	3000	0,3/1,5	44,70
2140202520	PA6 XT PLADE NATUR	25	600	2000	0,3/1,5	36,80
2140203020	PA6 XT PLADE NATUR	30	600	2000	0,5/2,5	44,80

Fortsættes næste side

PA6 XT – polyamid (Nylon)

Plader

Fortsat

Varenummer	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt (kg/plade)
		tykkelse	bredde	længde		
2140203620	PA6 XT PLADE NATUR	36	600	2000	0,5/2,5	53,40
2140204020	PA6 XT PLADE NATUR	40	600	2000	0,5/2,5	59,00
2140204520	PA6 XT PLADE NATUR	45	600	2000	0,5/2,5	66,20
2140205020	PA6 XT PLADE NATUR	50	600	2000	0,5/2,5	73,20
2140206020	PA6 XT PLADE NATUR	60	600	2000	0,5/3,5	88,20
2140207020	PA6 XT PLADE NATUR	70	600	2000	0,5/5,0	103,60
2140208020	PA6 XT PLADE NATUR	80	600	2000	0,5/5,0	117,80
2140210020	PA6 XT PLADE NATUR	100	600	2000	0,5/5,0	146,20
2141100820	PA6 XT PLADE SORT	8	600	2000	0,2/0,9	12,20
2141101020	PA6 XT PLADE SORT	10	600	2000	0,2/0,9	15,00
2141101220	PA6 XT PLADE SORT	12	600	2000	0,3/1,5	18,40
2141101620	PA6 XT PLADE SORT	16	600	2000	0,3/1,5	24,00
2141102020	PA6 XT PLADE SORT	20	600	2000	0,3/1,5	31,00
2141103020	PA6 XT PLADE SORT	30	600	2000	0,5/2,5	44,80
2141104020	PA6 XT PLADE SORT	40	600	2000	0,5/2,5	59,00
2141105020	PA6 XT PLADE SORT	50	600	2000	0,5/2,5	73,20

Leveres også i længder á 1000 mm

PA6 GS – polyamid (Nylon)

Rundstænger

Varenummer	Materiale	Diameter (mm)		Tolerance (mm) Ø	Nettovægt (kg/1000 mm)
		Ø	Ø		
21702020	PA 6 GS NATUR	20		0,5/2,0	0,40
21702030	PA 6 GS NATUR	30		0,5/2,0	0,90
21702035	PA 6 GS NATUR	35		0,5/2,0	1,20
21702040	PA 6 GS NATUR	40		1,0/3,0	1,50
21702045	PA 6 GS NATUR	45		1,0/3,0	1,90
21702050	PA 6 GS NATUR	50		1,0/3,0	2,50
21702055	PA 6 GS NATUR	55		1,0/3,0	2,80
21702060	PA 6 GS NATUR	60		1,0/4,0	3,60
21702065	PA 6 GS NATUR	65		1,0/4,0	4,20
21702070	PA 6 GS NATUR	70		1,0/4,0	4,80
21702075	PA 6 GS NATUR	75		1,0/4,0	5,50
21702080	PA 6 GS NATUR	80		1,0/4,0	6,20
21702090	PA 6 GS NATUR	90		1,0/4,0	7,80
21702100	PA 6 GS NATUR	100		1,0/4,0	9,60
21702110	PA 6 GS NATUR	110		1,5/5,0	11,80
21702120	PA 6 GS NATUR	120		1,5/5,0	13,90
21702125	PA 6 GS NATUR	125		1,5/5,0	15,10
21702130	PA 6 GS NATUR	130		1,5/5,0	16,30
21702140	PA 6 GS NATUR	140		1,5/5,0	18,80
21702150	PA 6 GS NATUR	150		1,5/5,0	21,50
21702160	PA 6 GS NATUR	160		2,0/7,0	24,80
21702170	PA 6 GS NATUR	170		2,0/7,0	27,90
21702180	PA 6 GS NATUR	180		2,0/7,0	31,20
21702190	PA 6 GS NATUR	190		2,0/7,0	34,70
21702200	PA 6 GS NATUR	200		2,0/7,0	38,30
21702210	PA 6 GS NATUR	210		3,0/9,0	42,50
21702220	PA 6 GS NATUR	220		3,0/9,0	46,80
21702230	PA 6 GS NATUR	230		3,0/9,0	51,10
21702240	PA 6 GS NATUR	240		3,0/9,0	55,50
21702250	PA 6 GS NATUR	250		3,0/9,0	60,10
21702260	PA 6 GS NATUR	260		3,0/9,0	64,90
21702270	PA 6 GS NATUR	270		3,0/9,0	69,60
21702280	PA 6 GS NATUR	280		3,0/9,0	74,50
21702290	PA 6 GS NATUR	290		3,0/9,0	84,00

Fortsættes næste side

PA6 GS – polyamid (Nylon)

Rundstænger

Fortsat

Varenummer	Materiale	Diameter (mm) Ø	Tolerance (mm)	Nettovægt (kg/1000 mm)
21702300	PA 6 GS NATUR	300	3,0/9,0	85,80
21702325	PA 6 GS NATUR	325	4,0/11,0	101,40
21702350	PA 6 GS NATUR	350	4,0/11,0	117,20
21702380	PA 6 GS NATUR	380	4,0/11,0	138,00
21702400	PA 6 GS NATUR	400	4,0/11,0	153,00
21702450	PA 6 GS NATUR	450	5,0/13,0	196,00
21702500	PA 6 GS NATUR	500	5,0/13,0	243,00
21711040	PA 6 GS SORT	40	1,0/3,0	1,50
21711050	PA 6 GS SORT	50	1,0/3,0	2,50
21711060	PA 6 GS SORT	60	1,0/4,0	3,60
21711070	PA 6 GS SORT	70	1,0/4,0	4,80
21711080	PA 6 GS SORT	80	1,0/4,0	6,20
21711090	PA 6 GS SORT	90	1,0/4,0	7,80
21711100	PA 6 GS SORT	100	1,0/4,0	9,60
21711110	PA 6 GS SORT	110	1,5/5,0	11,80
21711120	PA 6 GS SORT	120	1,5/5,0	13,90
21711130	PA 6 GS SORT	130	1,5/5,0	16,30
21711140	PA 6 GS SORT	140	1,5/5,0	18,80
21711150	PA 6 GS SORT	150	1,5/5,0	21,50
21711160	PA 6 GS SORT	160	2,0/7,0	24,80
21711180	PA 6 GS SORT	180	2,0/7,0	31,20
21711200	PA 6 GS SORT	200	2,0/7,0	38,30
21711210	PA 6 GS SORT	210	3,0/9,0	42,50
21711220	PA 6 GS SORT	220	3,0/9,0	46,80

Leveres som standard i længder á 1000 mm

PA6 GS – polyamid (Nylon)

Emnerør

Varenummer	Materiale	Diameter (mm)		Tolerance (mm)		Enhed
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
4170208560	PA 6 GS NATUR	85	60	2,0/5,0	-2,0/-10,0	meter
4170209560	PA 6 GS NATUR	95	60	2,0/5,0	-2,0/-10,0	meter
4170210040	PA 6 GS NATUR	100	40	2,0/5,0	-2,0/-10,0	meter
4170210050	PA 6 GS NATUR	100	50	2,0/5,0	-2,0/-10,0	meter
4170210575	PA 6 GS NATUR	105	75	2,0/5,0	-2,0/-10,0	meter
4170211070	PA 6 GS NATUR	110	70	2,0/5,0	-2,0/-10,0	meter
4170211080	PA 6 GS NATUR	110	80	2,0/5,0	-2,0/-10,0	meter
4170211570	PA 6 GS NATUR	115	70	2,0/5,0	-2,0/-10,0	meter
4170211585	PA 6 GS NATUR	115	85	2,0/5,0	-2,0/-10,0	meter
4170212080	PA 6 GS NATUR	120	80	2,0/7,0	-2,0/-10,0	meter
4170212090	PA 6 GS NATUR	120	90	2,0/7,0	-2,0/-10,0	meter
4170212365	PA 6 GS NATUR	123	65	2,0/7,0	-2,0/-10,0	meter
4170212500	PA 6 GS NATUR	125	100	2,0/7,0	-2,0/-10,0	meter
4170214000	PA 6 GS NATUR	140	100	2,0/7,0	-2,0/-10,0	meter
4170214070	PA 6 GS NATUR	140	70	2,0/7,0	-2,0/-10,0	meter
4170214090	PA 6 GS NATUR	140	90	2,0/7,0	-2,0/-10,0	meter
4170215030	PA 6 GS NATUR	150	130	2,0/7,0	-2,0/-10,0	meter
4170216030	PA 6 GS NATUR	160	130	2,0/8,0	-2,0/-10,0	meter
4170216040	PA 6 GS NATUR	160	140	2,0/8,0	-2,0/-10,0	meter
4170217080	PA 6 GS NATUR	170	80	2,0/8,0	-2,0/-10,0	meter
4170218010	PA 6 GS NATUR	180	110	2,0/8,0	-2,0/-10,0	meter
4170218030	PA 6 GS NATUR	180	130	2,0/8,0	-2,0/-10,0	meter
4170218050	PA 6 GS NATUR	180	150	2,0/8,0	-2,0/-10,0	meter
4170218060	PA 6 GS NATUR	190	160	2,0/9,0	-2,0/-10,0	meter
4170220030	PA 6 GS NATUR	200	130	2,0/9,0	-2,0/-10,0	meter
4170220050	PA 6 GS NATUR	200	150	2,0/9,0	-2,0/-10,0	meter
4170221040	PA 6 GS NATUR	210	140	2,0/9,0	-2,0/-10,0	meter

Fortsættes næste side

PA6 GS – polyamid (Nylon)

Emnerør

Fortsat

Varenummer	Materiale	Diameter (mm)		Tolerance (mm)		Enhed
		Ø udvendig	Ø indvendig	Ø udvendig	Ø indvendig	
4170221290	PA 6 GS NATUR	212	190	2,0/9,0	-2,0/-10,0	meter
4170221600	PA 6 GS NATUR	216	200	2,0/9,0	-3,0/-10,0	meter
4170224000	PA 6 GS NATUR	240	200	2,0/9,0	-3,0/-10,0	meter
4170224020	PA 6 GS NATUR	240	220	2,0/9,0	-3,0/-10,0	meter
4170225010	PA 6 GS NATUR	250	210	2,0/9,0	-3,0/-10,0	meter
4170226990	PA 6 GS NATUR	269	190	2,0/9,0	-3,0/-10,0	meter
4170227841	PA 6 GS NATUR	278	241	2,0/9,0	-3,0/-10,0	meter
4170228080	PA 6 GS NATUR	280	180	2,0/9,0	-3,0/-10,0	meter
4170230660	PA 6 GS NATUR	306	260	3,0/11,0	-3,0/-12,0	meter
4170230693	PA 6 GS NATUR	306	293	3,0/11,0	-3,0/-12,0	meter
4170231060	PA 6 GS NATUR	310	260	3,0/11,0	-3,0/-12,0	meter
4170231898	PA 6 GS NATUR	318	298	3,0/11,0	-3,0/-12,0	meter
4170232030	PA 6 GS NATUR	320	230	3,0/11,0	-3,0/-12,0	meter
4170232072	PA 6 GS NATUR	320	272	3,0/11,0	-3,0/-12,0	meter
4170237020	PA 6 GS NATUR	370	320	3,0/11,0	-3,0/-14,0	meter
4171108050	PA 6 GS SORT	80	50	2,0/5,0	-2,0/-10,0	meter
4171125060	PA 6 GS SORT	250	160	2,0/9,0	-2,0/-10,0	meter

Leveres som standard i længder á 1000 mm

PA6 GS – polyamid (Nylon)

Plader

Varenummer mm	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt kg/plade
		tykkelse	bredde	længde		
2180200820	PA 6 GS PLADE NATUR	8	1000	2000	1,0/1,7	22,00
2180201020	PA 6 GS PLADE NATUR	10	1000	2000	1,0/1,7	26,60
2180201220	PA 6 GS PLADE NATUR	12	1000	2000	1,0/1,7	31,40
2180201520	PA 6 GS PLADE NATUR	15	1000	2000	1,2/2,5	40,00
2180201620	PA 6 GS PLADE NATUR	16	1000	2000	1,2/2,5	44,00
2180202020	PA 6 GS PLADE NATUR	20	1000	2000	1,2/2,5	51,40
2180202520	PA 6 GS PLADE NATUR	25	1000	2000	1,2/2,5	63,00
2180203020	PA 6 GS PLADE NATUR	30	1000	2000	1,5/3,5	76,40
2180203520	PA 6 GS PLADE NATUR	35	1000	2000	1,5/3,5	97,00
2180204020	PA 6 GS PLADE NATUR	40	1000	2000	1,5/3,5	99,80
2180205020	PA 6 GS PLADE NATUR	50	1000	2000	1,5/3,5	123,40
2180206020	PA 6 GS PLADE NATUR	60	1000	2000	2,5/5,0	149,20
2180207020	PA 6 GS PLADE NATUR	70	1000	2000	2,5/5,0	173,80
2180208020	PA 6 GS PLADE NATUR	80	1000	2000	2,5/6,0	197,40
2180210020	PA 6 GS PLADE NATUR	100	1000	2000	2,5/6,0	244,20

PA6 GS m/olie – polyamid (Nylon) Rundstænger

Varenummer	Materiale	Diameter (mm) Ø	Tolerance (mm) Ø	Nettovægt kg/1000 mm
21911020	OILAMID GS SORT	20	0,6/2,0	0,40
21911025	OILAMID GS SORT	25	0,6/2,0	0,60
21911030	OILAMID GS SORT	30	0,6/2,0	0,90
21911035	OILAMID GS SORT	35	0,6/2,0	1,20
21911040	OILAMID GS SORT	40	1,0/3,0	1,50
21911045	OILAMID GS SORT	45	1,0/3,0	1,90
21911050	OILAMID GS SORT	50	1,0/3,0	2,50
21911055	OILAMID GS SORT	55	1,0/3,0	2,80
21911060	OILAMID GS SORT	60	1,0/4,0	3,60
21911065	OILAMID GS SORT	65	1,0/4,0	4,20
21911070	OILAMID GS SORT	70	1,0/4,0	4,80
21911075	OILAMID GS SORT	75	1,0/4,0	5,50
21911080	OILAMID GS SORT	80	1,0/4,0	6,20
21911085	OILAMID GS SORT	85	1,0/4,0	7,00
21911090	OILAMID GS SORT	90	1,0/4,0	7,80
21911095	OILAMID GS SORT	95	1,0/4,0	8,70
21911100	OILAMID GS SORT	100	1,0/4,0	9,60
21911110	OILAMID GS SORT	110	1,5/5,0	11,80
21911115	OILAMID GS SORT	115	1,5/5,0	12,70
21911120	OILAMID GS SORT	120	1,5/5,0	13,90
21911130	OILAMID GS SORT	130	1,5/5,0	16,30
21911140	OILAMID GS SORT	140	1,5/5,0	18,80
21911150	OILAMID GS SORT	150	1,5/5,0	21,50
21911160	OILAMID GS SORT	160	2,0/7,0	24,80
21911170	OILAMID GS SORT	170	2,0/7,0	27,90
21911180	OILAMID GS SORT	180	2,0/7,0	31,20
21911200	OILAMID GS SORT	200	2,0/7,0	38,30
21911250	OILAMID GS SORT	250	3,0/9,0	59,80

Leveres som standard i længder á 1000 mm

PA6 GS m/olie – polyamid (Nylon) Plader

Varenummer mm	Materiale	Dimension (mm)			Tolerance (mm) tykkelse	Nettovægt kg/plade
		tykkelse	bredde	længde		
2191100820	OILAMID GS PLADE SORT	8	1000	2000	1,0/1,7	23,55
2191101020	OILAMID GS PLADE SORT	10	1000	2000	1,0/1,7	27,01
2191101220	OILAMID GS PLADE SORT	12	1000	2000	1,0/1,7	33,93
2191101520	OILAMID GS PLADE SORT	15	1000	2000	1,2/2,5	42,83
2191102020	OILAMID GS PLADE SORT	20	1000	2000	1,2/2,5	54,10
2191102520	OILAMID GS PLADE SORT	25	1000	2000	1,2/2,5	66,30
2191103020	OILAMID GS PLADE SORT	30	1000	2000	1,5/3,5	79,15
2191104020	OILAMID GS PLADE SORT	40	1000	2000	1,5/3,5	104,80
2191105020	OILAMID GS PLADE SORT	50	1000	2000	1,5/3,5	130,00