

**RIDGID**<sup>®</sup>

# Secure Jobsite Storage



NEW MONSTER BOX<sup>®</sup> PIANO BOX, CHEST, AND CABINET.

**NEW!**



**MONSTER BOX<sup>®</sup>**

(see pages 4-5)

EVOLUTION OR REVOLUTION

RIDGID® jobsite storage solutions have the strongest work ethic around — and the smartest. Not only does every box, chest and cabinet cause tool thieves to strongly reconsider, but RIDGID® jobsite storage solutions also provide easier access, better organisation, easy mobility and versatility.

**A**



**MONSTER BOX®** offers maximum security, weight capacity and organisation.

They can also be easily transported to the highest floor with our exclusive four-point crane lift system.

*See pages 4-5*

**B**



**STORAGEMASTER® Chests** are the workhorses on any jobsite, ideal for every trade—mechanical, plumbing, HVAC, electrical, rough and finish carpentry. They're caster-ready and include full-width shelves for organisation of small to large tools and supplies. Model 91 even features a drop-down ramp for loading large, heavy items.

*See pages 6-7*

**C**



**JOBMASTER® Chests**, available in multiple models, are the jack-of-all tradesmen applications. They're versatile and portable — especially with accessory casters and hold anything from hand and power tools to compressors.

*See pages 8-9*

**D**



**JOBMASTER® Cabinets** are incredibly secure and configurable for any need. They act as a remote tool store and offer "glance and grab" organisation.

*See pages 10-11*

**E**



**STORAGEMASTER® Rolling Work Benches** are secure storage on wheels. The heavy-duty top works great as a work surface and for mounting pipe threaders or vices.

*See pages 12-13*

**F**



**FIELD STATIONS** serve as your jobsite office. Use it to securely store tools, supplies, documents and more.


*See page 14*



## RIDGID® SECURITY? It's a lock system.

All RIDGID® products, except for the Monster Box® series, are designed for use with the ABUS 41/50 or equivalent sized lock system.

- The WATCHMAN® IV Lock System, with recessed housing, prevents bolt-cutter break-ins.
- One-time lock installation means no downtime replacing locks.
- Three latch, dead bolt style locking system for ultimate security.



**NEW**

Refer to ASME B30 and European Directive 98/37/EC (Machinery) for proper rigging techniques



## WHAT MAKES IT A MONSTER BOX® ?



**Exclusive heavy-duty tubular steel frame**, an industry first, provides structural rigidity and strength and “caps” the lid for more security.



**Four-point crane lift system** facilitates center-point rigging to hoist more safely than with twopoint/bar lift systems and provides **1.100 kg gross weight load capacity**.



**Integrated recessed lock** is a drill-resistant, weather-resistant lock making it virtually impervious to drilling and pry-in.<sup>1</sup>



**SEE ALSO:**

**Accessory Caster Sets on page 15.**

1. RIDGID® encourages the registration of product and key codes for replacement keys. Keys cannot be duplicated and will be sold only to the registered owner. Boxes can be keyed alike upon request.

## PIANO BOX

### MODEL 1000



- Gas spring guards protect springs from shifting-load damage
- Two shelves for extra storage and organisation
- Interior storage grid for hanging safety gear and other items
- Two recessed handles for safe closing, even with gloves on

## CHEST


### MODEL 1010



- Deep cover design for strength and security
- Heavy-duty single cover support for easy closing

## CABINET

### MODEL 1020



- Top shelf is 267 mm from top of cabinet lip, second shelf measures 190 mm from bottom of top shelf, bottom shelf is adjustable for easy storage of bulky items
- Low centre of gravity provides stability
- Open design, without center post, for maximum storage and accessibility
- Weather sealed doors for improved weather resistance

Cat	Model	Dimensions mm				Capacity m³	Weight kg
		Length	Depth	Height 1	Height 2		
30293	1000	1680	762	1380	2048	1.36	184
30298	1010	1680	762	910	1502	0.88	130
30308	1020	1680	762	1380	-	1.47	182



**Heavy-duty hinges** are extra durable and resist pry-ins.



**Power Pass™ electrical pass-through grommet** provides easy, weatherproof power cord access to allow battery charging when the box is closed.



**Exclusive non-linear three-point latching system** incorporates a recessed handle that operates the hook lock, while the other two latching points function as dead bolts.

Nothing works harder or smarter than STORAGEMASTER® Chests when it comes to secure jobsite storage, durability and ease of use. Consider these key features when you're looking for an ultrarugged piano box.

- A WATCHMAN® IV Lock System with 3-point latching** and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- B Power Pass™** electrical pass-through grommet for easy weatherproof power cord access.
- C Reinforced Lock Housing** provides unbeatable strength.
- D Heavy-Duty Hinges** are staked and welded to stand up to any amount of prying.

STORAGEMASTER® Chests also feature:

- Recessed handles for positive gripping even with a gloved hand
- Baked-on enamel finish for weather resistance and durability
- Dual gas springs allow one-handed easy opening
- Protected gas springs to prevent damage from shifting loads
- Caster-ready 2.66 mm steel skids to accommodate optional casters for greater mobility (see page 15)
- Heavy-duty 1.52 mm steel construction with fully arc-welded seams



#### SEE ALSO:

Accessory Caster Sets on page 15.



## MODEL 91



Features a built-in, 12-gauge steel ramp to make loading large, bulky items easy.

## MODEL 89



## MODEL 79



## MODEL 69



When cover is closed, Model 69 chest can be used as a work table.

## ACCESSORY SHELF DOORS



Accessory shelf doors allow you to have the best of both worlds. Keyed doors create a secure area while allowing the chest to remain open during the work day.

Model	Fits	Cat n°
479	79	74756
489	89	74766
491	90, 91	74776

Cat	Model	Dimensions mm				Capacity m³	Weight kg
		Length	Depth	Height 1	Height 2		
28111	69	1524	762	956	1692	1.00	128
28121	79	1219	762	1260	1997	1.08	130
28131	89	1524	762	1260	1997	1.35	153
28151	91	1829	762	1260	1997	1.63	186

Security and durability to go. JOBMASTER® Chests are tool storage solutions that are as easy to handle as they are tough.

They're compact enough to be lifted and moved around the jobsite or into a work vehicle with minimal effort. Yet, JOBMASTER® Chests include all the same security features as STORAGEMASTER® Chests.

- A WATCHMAN® IV Lock System with 3-point latching** and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- B Power Pass™** electrical pass-through grommet for easy weatherproof power cord access.
- C Reinforced Lock Housing** provides unbeatable strength.
- D Heavy-Duty Hinges** are staked and welded to stand up to any amount of prying.

JOBMASTER® Chests also feature:

- Recessed handles for positive gripping even with a gloved hand
- Baked-on enamel finish for weather resistance and durability
- Caster-ready 2.66 mm steel skids to accommodate optional casters for greater mobility (see page 15)
- Heavy-duty 1.52 mm steel construction with fully arc-welded seams



#### SEE ALSO:

Accessory Caster Sets on page 15.



## MODEL 4830



Closed Height: 890 mm

## MODEL 2472



Closed Height: 735 mm

## MODEL 60



Closed Height: 735 mm

## MODEL 4824



Closed Height: 735 mm

## MODEL 42



Closed Height: 610 mm

## MODEL 36



- Does not have 3-point latch or Power Pass™

Closed Height: 560 mm

Cat	Model	Dimensions mm				Capacity m <sup>3</sup>	Weight kg
		Length	Depth	Height 1	Height 2		
28011	36	915	485	498	965	0.20	44
28021	42	1070	485	549	1016	0.25	52
28031	4824	1220	610	676	1267	0.45	72
28041	4830	1220	765	829	1572	0.71	88
28051	2472	1830	610	676	1267	0.69	98
28061	60	1525	610	676	1267	0.57	86

No matter how big the job, roomy **JOBMASTER®** Cabinets work. They provide at-a-glance, easy access shelving storage for small, big and in-between tools, equipment and supplies. Optional accessories like casters and door shelves create custom solutions that work even harder.

- A** **WATCHMAN® IV Lock System with 3-point latching** and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- B** **Convenient foot latch** opens the doors when you step on it, allowing handsfree operation. One person can open the doors even with an arm full of tools.
- C** **Deep door design** for maximum pry-bar resistance and better tool organisation.

**JOBMASTER®** Cabinets also feature:

- Recessed handles for positive gripping even with a gloved hand
- Baked-on enamel finish for weather-resistance and durability
- Caster-ready 2.66 mm steel skirts to accommodate optional casters for greater mobility (see page 15)
- Heavy-duty 1.52 mm steel construction with fully arc-welded seams
- Optional door shelves allow for greater organisation (see page 15)



**SEE ALSO:**

**Accessory Caster Sets on page 15.**



## MODEL 112



- Includes: Three 64 mm deep drawers with 22.5 kg load capacity, four 150 mm drawers with 34 kg load capacity
- Powder-coated drawers roll on ball bearing slides
- Full top shelf for more storage
- Shelf spacing from top down: 330, 317, 241, 502 mm
- Ability to add accessory door shelves (see page 15)

## MODEL 111



- More open space for large items
- Half-width shelves on left side only
- Top shelf is 330 mm from top of cabinet, second shelf is 317 mm from top shelf, bottom shelf is 241 mm from second shelf
- Ability to add accessory door shelves (see page 15)

## MODEL 139



- Full-length shelves allow you to organise longer items
- Top shelf is 355 mm from top of cabinet, second shelf measures 250 mm from bottom of top shelf
- Adjustable bottom shelf
- Ability to add accessory door shelves (see page 15)

## MODEL 100



- Included casters allow one person to manoeuvre the closed cabinet through a jobsite
- Shelves are 355 mm deep with a 25 mm hemmed lip, and welded in place with a 327 mm minimum spacing between shelves
- 1.52 mm fully arc-welded steel construction
- Load capacity: 544 kg evenly distributed
- Vertical storage area features a bracket for hanging extension cords or tool belts

Cat	Model	Dimensions mm			Capacity m <sup>3</sup>	Weight kg
		Length	Depth	Height		
28161	100	1524	762	1743	1.72	213
28181	111	1524	610	1540	1.34	175
28191	112	1524	762	1540	1.55	209
28221	139	1524	762	1540	1.68	202

# Secure Jobsite Storage

Sturdy. Mobile. Secure.  
STORAGEMASTER® Rolling Work Benches carry the load in more ways than one. They're not only load-rated for a half-ton, but they're efficiency centres on the jobsite, providing handy work surfaces and organised storage that go wherever work needs to be done.

- A** **WATCHMAN® IV Lock System with 3-point latching** and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- B** **Heavy-duty steel construction** with fully arc-welded seams.
- C** **Full-length staked piano hinges** resist pry-ins.
- D** **Baked-on enamel finish** for weather resistance and durability.

## CAUTION:

Caster brakes are not suitable for keeping the units in place when transporting. Secure by another method. Do not use casters on rough or uneven surfaces. Do not tow castermounted boxes.



## SEE ALSO:

Accessory Caster Sets on page 15.

## MODEL 47




- Basic unit
- No drawers
- Use this model to design your own Rolling Work Bench

Includes:  
(1) 150 mm caster set


Load Capacity: 510 kg

**Design your own package.** It's easy to make Rolling Work Benches accommodate various jobsite situations with shelves and standard drawers or a combination of both.  
**Start with Model 47**


- There are fifteen notches in the cabinet door space for mounting drawers
- You can put together any combination of standard drawers as long as the sum of the notches doesn't exceed 15
- All drawers come with attached glides
- Load capacity is 45 kg each




**25 mm Deep Shelf**  
Model: 477-3 (88727)  
555mm L x 445mm W x 25mm H  
Notch required: 1




**115 mm Deep Drawer**  
Model: 474-3 (88722)  
560mm L x 410mm W x 115mm H  
Notches required: 3



**25 mm Deep Drawer**  
Model: 471-3 (88712)  
560mm L x 410mm W x 25mm H  
Notch required: 1



**155 mm Deep Drawer**  
Model: 476-3 (74746)  
560mm L x 410mm W x 155mm H  
Notches required: 4



**65 mm Deep Drawer**  
Model: 472-3 (88717)  
560mm L x 410mm W x 65mm H  
Notches required: 2

## MODEL 49



Includes :  
(3) Model 471-3 drawers  
(4) Model 472-3 drawers  
(1) Model 476-3 drawers  
(1) Model 477-3 shelf  
(1) 150 mm caster set

Load Capacity: 345 kg

## MODEL 62



Got a challenge? This big boy is up for it, with an ability to accommodate over 2.5 tons of whatever you want to load into it. Its large, 1.2 m<sup>2</sup> work area and lower working height make it easier to get the job done.

- WATCHMAN® IV Single Lock System
- Three doors in front and three in back for the ultimate accessibility
- 2.66 mm steel body, fully arc-welded
- 4.5 mm steel work top and bottom panel
- Standard drawer capacity is 45 kg, heavy-duty drawer capacity is 90 kg

Includes:  
(2) Model 471-3, Std. Drawers  
(1) Model 486-3, Heavy Duty Drawer  
(1) Model 490-3, Heavy Duty Drawer  
(1) 150 mm caster set

Load Capacity: 1.540 kg


Cat	Model	Dimensions mm			Capacity m <sup>3</sup>	Weight kg
		Length	Depth	Height		
28281	47	1175	635	953	0.51	104
28301	49	1175	635	953	0.45	160
28381	62	1575	813	864	1.54	271

Think of it as command central. It's first to the jobsite and last to leave and holds everything that's needed day-to-day — from tools and equipment to essential supplies, drawings and documents. When the work day is over, the field station locks up tight as a drum for secure overnight storage.

- A** **WATCHMAN® IV Lock System** with recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- B** **Recessed handles and latch levers** offer protection during transport.
- C** **Hinged desk top allows** 0.25 m<sup>3</sup> of storage space underneath.
- D** **Large swing-up door** features an easy-to-use rotary latch, an easy-to-grip recessed handle, a gas spring to assist with opening and closing and a prop arm that locks in place to hold the door open.
- E** **1.52 mm steel body** with fully arc-welded seams for the ultimate in strength and weather protection.



## MODEL 119



**SEE ALSO:**  
Accessory Caster Sets on page 15.

Cat	Model	Dimensions mm			Capacity m <sup>3</sup>	Weight kg
		Length	Depth	Height		
28201	119	1575	1067	2083	3.26	264



## CLASSIC CHEST

- Double lock system
- Slanted top allows easy access to contents
- Permanently welded built-in tray

Cat	Model	Dimensions mm				Capacity m <sup>3</sup>	Weight kg
		Length	Depth	Height 1	Height 2		
28451	3068	1524	762	965	1510	0.88	102

## Accessory Casters

Load ratings are for all four wheels combined. Rating includes weight of RIDGID® product and its contents. Each caster set includes two rigid and two swivel casters with mounting bolts. Caster sets with brakes have the brake unit located on the swivel casters. RIDGID® casters are recommended for use with RIDGID® products.



### 100 mm CASTERS ( Cat. no 32553)

Model: 495 (with brakes)  
Solid Polypropylene HD  
Load per Set: 725 kg

Fits Models: 36, 42, 60, 69, 79, 89, 91, 2472, 3068, 4824, 4830

### 125 mm CASTERS (Cat. no 74796)

Model: 505 (no brakes)  
Hard Rubber  
Load per Set: 560 kg

Fits Models: 36, 42, 60, 69, 79, 89, 91, 2472, 3068, 4824, 4830

### 150 mm CASTERS ( Cat. no 30313)

Model: 695 (with brakes)  
Solid Polypropylene HD  
Load per Set: 1180 kg

Fits Models: All Models

### 150 mm CASTERS ( Cat. no 74806)

Model: 516 (with brakes)  
Non-marking Polyurethane  
Load per Set: 1016 kg

Fits Models: All Models

### 150 mm CASTERS ( Cat. no 88757)

Model: 600 (with brakes)  
Phenolic HD  
Load per Set: 1487 kg

Fits Models: All Models

**Caution:** Caster brakes are not suitable for keeping the units in place when transporting. Secure by another method. Do not use casters on rough or uneven surfaces. Do not tow caster-mounted boxes.

## Accessory Trays And Shelves

### TRAYS

These handy lift-out trays keep tools organised and ready to go. No more digging around the bottom for what you need.

#### Model 21 (Cat n° 74706)

Fits: 2472, 4824, 60

#### Model 31 (Cat n° 74716)

Fits: 4830

#### Model 41 (Cat n° 74726)

Fits: 32, 36, 42



### SHELVES

Accessory shelf for the right or left inside door provides additional storage and organisation. Fits models 111, 112, 139.

#### Model 493 (Cat n° 79356) - left

#### Model 494 (Cat n° 79366) - right



This chest protected € 8.000 worth of surveying equipment that was locked inside.

"I feel confident leaving boxes unattended on the jobsite."

Mike Kessler  
Hagerman Construction



1.000's of € worth of tools can be stolen in a second. Stop on-site and van theft with RIDGID jobsite storage products.

RIDGID jobsite storage products keep your tools and equipment safe. For contractors and trade professionals worldwide, there really is no other choice. Demand the RIDGID brand.

### DISTRIBUTED BY: